

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

--	--	--	--	--

--	--	--	--	--

Pearson Edexcel Level 3 GCE

Tuesday 11 June 2024

Afternoon (Time: 2 hours)

Paper
reference

9MA0/02

Mathematics

Advanced

PAPER 2: Pure Mathematics 2

You must have:

Mathematical Formulae and Statistical Tables (Green), calculator

Total Marks

Candidates may use any calculator allowed by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 15 questions in this question paper. The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P75694A

©2024 Pearson Education Ltd.
F:1/1/1/1/1



Pearson

5. Given that θ is small and in radians, use the small angle approximations to find an approximate numerical value of

$$\frac{\theta \tan 2\theta}{1 - \cos 3\theta} \quad (3)$$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



6.




Figure 1

Figure 1 shows a sketch of the curves with equations $y = f(x)$ and $y = g(x)$ where

$$f(x) = e^{4x^2-1} \quad x > 0$$

$$g(x) = 8 \ln x \quad x > 0$$

(a) Find

(i) $f'(x)$

(ii) $g'(x)$

(2)

Given that $f'(x) = g'(x)$ at $x = \alpha$

(b) show that α satisfies the equation

$$4x^2 + 2 \ln x - 1 = 0$$

(2)

The iterative formula

$$x_{n+1} = \sqrt{\frac{1 - 2 \ln x_n}{4}}$$

is used with $x_1 = 0.6$ to find an approximate value for α

(c) Calculate, giving each answer to 4 decimal places,

(i) the value of x_2

(ii) the value of α

(3)



9.




Figure 3

The graph in Figure 3 shows the path of a small ball.

The ball travels in a vertical plane above horizontal ground.

The ball is thrown from the point represented by A and caught at the point represented by B .

The height, H metres, of the ball above the ground has been plotted against the horizontal distance, x metres, measured from the point where the ball was thrown.

With respect to a fixed origin O , the point A has coordinates $(0, 2)$ and the point B has coordinates $(20, 0.8)$, as shown in Figure 3.

The ball reaches its maximum height when $x = 9$

A quadratic function, linking H with x , is used to model the path of the ball.

(a) Find H in terms of x . (4)

(b) Give one limitation of the model. (1)

Chandra is standing directly under the path of the ball at a point 16 m horizontally from O .

Chandra can catch the ball if the ball is less than 2.5 m above the ground.

(c) Use the model to determine if Chandra can catch the ball. (2)



11.




Figure 5

In this question you must show all stages of your working.

Solutions relying entirely on calculator technology are not acceptable.

Figure 5 shows a sketch of part of the curve C with equation

$$y = 8x^2e^{-3x} \quad x \geq 0$$

The finite region R , shown shaded in Figure 5, is bounded by

- the curve C
- the line with equation $x = 1$
- the x -axis

Find the exact area of R , giving your answer in the form

$$A + Be^{-3}$$

where A and B are rational numbers to be found.

(5)



